

| COOLING | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|----------------|-----|----|-------|---------------|----------------|--------------|----------------|----------------|---------------|---------------|----------------|----------------|----------------|----------------|--------------|-----------------|-----------------|-----------------|---------------|---------------|
| Model | Indoor | | | | -4F (-20C) | 0F (-17.8C) | 5F (-15C) | 15F (-9.4C) | 25F (-3.9C) | 35F (1.7C) | 45F (7.2C) | 55F (12.8C) | 65F (18.3C) | 75F (23.9C) | 85F (29.4C) | 95F (35C) | 105F (40.6C) | 109.4F (43C) | 115F (46.1C) | 122F (50C) | 122F (50C) |
| | DB | WB | | | | | | | | | | | | | | | | | | | |
| DM09HOS19115S1 DM09HIW19115S1 | 65F (18.3C) | 54F | TC | 8.25 | 8.73 | 8.99 | 9.03 | 9.22 | 9.37 | 9.30 | 9.50 | 9.65 | 9.57 | 9.77 | 9.89 | 9.29 | 8.59 | 8.08 | 7.48 | 7.48 | |
| | | | SC | 5.69 | 5.94 | 6.21 | 6.39 | 6.54 | 6.57 | 6.85 | 7.33 | 6.82 | 6.88 | 7.12 | 6.94 | 6.74 | 6.70 | 6.87 | 6.66 | 6.66 | |
| | 70F (21.1C) | 59F | TC | 8.72 | 9.13 | 9.56 | 9.61 | 9.65 | 9.74 | 9.95 | 9.99 | 10.14 | 10.18 | 10.22 | 10.35 | 9.78 | 9.09 | 8.55 | 7.78 | 7.78 | |
| | | | SC | 6.01 | 6.21 | 6.61 | 6.80 | 6.84 | 6.84 | 7.33 | 7.71 | 7.17 | 7.32 | 7.44 | 7.25 | 7.09 | 7.09 | 7.27 | 6.92 | 6.92 | |
| | 75F (23.9C) | 63F | TC | 9.05 | 9.63 | 9.93 | 10.08 | 10.23 | 10.23 | 10.43 | 10.43 | 10.64 | 10.63 | 10.78 | 10.91 | 10.26 | 9.64 | 8.87 | 8.16 | 8.16 | |
| | | | SC | 6.25 | 6.55 | 6.82 | 7.19 | 7.28 | 7.26 | 7.80 | 7.90 | 7.52 | 7.64 | 7.85 | 7.65 | 7.44 | 7.52 | 7.54 | 7.26 | 7.26 | |
| | 80F (26.7C) | 67F | TC | 9.48 | 9.98 | 10.39 | 10.50 | 10.60 | 10.71 | 10.81 | 10.92 | 11.02 | 11.13 | 11.23 | 11.31 | 10.74 | 9.99 | 9.29 | 8.55 | 8.55 | |
| | | | SC | 6.45 | 6.73 | 7.17 | 7.42 | 7.60 | 7.56 | 7.94 | 8.27 | 7.79 | 8.00 | 8.18 | 7.93 | 7.79 | 7.79 | 7.90 | 7.61 | 7.61 | |
| DM12HOS19115S1 DM12HIW19115S1 | 65F (18.3C) | 54F | TC | 10.01 | 10.59 | 10.91 | 10.99 | 11.24 | 11.46 | 11.36 | 11.55 | 11.52 | 11.53 | 11.28 | 10.96 | 10.08 | 9.27 | 8.72 | 7.98 | 7.98 | |
| | | | SC | 6.90 | 7.21 | 7.54 | 7.78 | 7.97 | 8.04 | 8.37 | 8.91 | 8.14 | 8.29 | 8.22 | 7.69 | 7.31 | 7.23 | 7.41 | 7.10 | 7.10 | |
| | 70F (21.1C) | 59F | TC | 10.58 | 11.08 | 11.60 | 11.69 | 11.76 | 11.92 | 12.15 | 12.14 | 12.12 | 12.26 | 11.80 | 11.46 | 10.60 | 9.81 | 9.22 | 8.30 | 8.30 | |
| | | | SC | 7.29 | 7.54 | 8.02 | 8.28 | 8.34 | 8.36 | 8.95 | 9.37 | 8.56 | 8.82 | 8.59 | 8.04 | 7.69 | 7.65 | 7.84 | 7.39 | 7.39 | |
| | 75F (23.9C) | 63F | TC | 10.98 | 11.68 | 12.04 | 12.26 | 12.47 | 12.51 | 12.75 | 12.68 | 12.71 | 12.80 | 12.45 | 12.09 | 11.13 | 10.40 | 9.57 | 8.71 | 8.71 | |
| | | | SC | 7.58 | 7.95 | 8.28 | 8.75 | 8.88 | 8.88 | 9.53 | 9.60 | 8.98 | 9.20 | 9.07 | 8.48 | 8.07 | 8.11 | 8.14 | 7.75 | 7.75 | |
| | 80F (26.7C) | 67F | TC | 11.50 | 12.11 | 12.61 | 12.77 | 12.92 | 13.10 | 13.21 | 13.27 | 13.17 | 13.40 | 12.97 | 12.53 | 11.65 | 10.78 | 10.02 | 9.12 | 9.12 | |
| | | | SC | 7.82 | 8.16 | 8.70 | 9.03 | 9.25 | 9.25 | 9.70 | 10.05 | 9.31 | 9.64 | 9.44 | 8.78 | 8.45 | 8.41 | 8.52 | 8.12 | 8.12 | |
| DM18HOS19230S1 DM18HIW19230S1 | 65F (18.3C) | 54F | TC | 15.72 | 16.28 | 16.98 | 17.00 | 16.68 | 16.75 | 16.54 | 16.33 | 16.13 | 16.21 | 16.00 | 15.81 | 15.36 | 14.35 | 13.34 | 12.42 | 12.42 | |
| | | | SC | 10.64 | 11.85 | 12.31 | 12.75 | 11.92 | 11.75 | 12.04 | 11.84 | 11.60 | 11.80 | 11.82 | 12.49 | 12.44 | 11.91 | 12.01 | 11.55 | 11.55 | |
| | 70F (21.1C) | 59F | TC | 16.64 | 17.24 | 17.97 | 18.00 | 17.96 | 17.63 | 17.41 | 17.20 | 17.27 | 17.06 | 16.85 | 16.93 | 16.17 | 15.28 | 14.21 | 13.00 | 13.00 | |
| | | | SC | 11.27 | 12.55 | 13.03 | 13.50 | 12.83 | 12.36 | 12.67 | 12.46 | 12.42 | 12.43 | 12.45 | 13.38 | 13.09 | 12.68 | 12.79 | 12.09 | 12.09 | |
| | 75F (23.9C) | 63F | TC | 17.57 | 18.20 | 18.87 | 18.90 | 18.75 | 18.40 | 18.38 | 18.06 | 18.04 | 18.01 | 17.79 | 17.78 | 16.97 | 16.04 | 14.84 | 13.73 | 13.73 | |
| | | | SC | 11.89 | 13.25 | 13.67 | 14.18 | 13.40 | 12.91 | 13.37 | 13.09 | 12.97 | 13.12 | 13.15 | 14.04 | 13.75 | 13.31 | 13.36 | 12.76 | 12.76 | |
| | 80F (26.7C) | 67F | TC | 18.49 | 19.26 | 19.86 | 20.00 | 19.74 | 19.48 | 19.35 | 19.22 | 19.09 | 18.96 | 18.83 | 18.71 | 17.96 | 16.89 | 15.79 | 14.52 | 14.52 | |
| | | | SC | 12.52 | 14.02 | 14.39 | 15.00 | 14.10 | 13.66 | 14.08 | 13.93 | 13.72 | 13.81 | 13.91 | 14.78 | 14.55 | 14.01 | 14.21 | 13.51 | 13.51 | |

DB: Dry Bulb - WB: Wet Bulb - TC: Total Net Capacity (1000 BTU/hour) - SC: Sensible Capacity (1000 BTU/hour) - Input: Total Power (kW)

| COOLING | | | | | | | | | | | | | | | | | | | | | |
|--|--|----------------|-----|---------------|----------------|--------------|----------------|----------------|---------------|---------------|----------------|----------------|----------------|----------------|--------------|-----------------|-----------------|-----------------|---------------|---------------|-------|
| Model | Indoor | | | | | | | | | | | | | | | | | | | | |
| | DB | WB | | -4F (-20C) | 0F (-17.8C) | 5F (-15C) | 15F (-9.4C) | 25F (-3.9C) | 35F (1.7C) | 45F (7.2C) | 55F (12.8C) | 65F (18.3C) | 75F (23.9C) | 85F (29.4C) | 95F (35C) | 105F (40.6C) | 109.4F (43C) | 115F (46.1C) | 122F (50C) | 122F (50C) | |
| DM24HOS19230S1 DM24HIW19230S1 | 65F (18.3C) | 54F | TC | 20.34 | 21.23 | 21.53 | 21.18 | 21.22 | 20.90 | 20.59 | 20.64 | 20.33 | 20.02 | 20.17 | 19.95 | 18.94 | 18.02 | 16.75 | 15.32 | 15.32 | |
| | | | SC | 14.76 | 15.30 | 17.12 | 17.10 | 16.54 | 16.27 | 15.52 | 14.98 | 14.66 | 15.92 | 16.28 | 15.55 | 14.75 | 14.67 | 15.44 | 14.68 | 14.68 | |
| | 70F (21.1C) | 59F | TC | 21.94 | 22.75 | 23.08 | 22.98 | 22.36 | 22.29 | 22.21 | 22.13 | 21.80 | 21.72 | 21.25 | 21.28 | 20.43 | 19.32 | 17.96 | 16.62 | 16.62 | |
| | | | SC | 15.92 | 16.40 | 18.36 | 18.55 | 17.43 | 17.35 | 16.75 | 16.06 | 15.72 | 17.27 | 17.16 | 16.58 | 15.91 | 15.72 | 16.56 | 15.93 | 15.93 | |
| | 75F (23.9C) | 63F | TC | 23.05 | 23.64 | 24.25 | 24.01 | 23.63 | 23.55 | 23.33 | 22.99 | 22.90 | 22.69 | 22.46 | 22.48 | 21.47 | 20.18 | 18.77 | 17.36 | 17.36 | |
| | | | SC | 16.73 | 17.06 | 19.25 | 19.29 | 18.36 | 18.34 | 17.59 | 16.68 | 16.51 | 18.04 | 18.13 | 17.52 | 16.71 | 16.34 | 17.08 | 16.64 | 16.64 | |
| | 80F (26.7C) | 67F | TC | 24.66 | 25.42 | 25.94 | 25.68 | 25.41 | 25.18 | 24.95 | 24.72 | 24.49 | 24.26 | 24.15 | 24.04 | 22.96 | 21.58 | 20.18 | 18.56 | 18.56 | |
| | | | SC | 18.10 | 18.33 | 20.46 | 20.55 | 19.45 | 19.31 | 18.82 | 17.94 | 17.66 | 19.30 | 19.50 | 18.73 | 17.88 | 17.33 | 18.29 | 17.80 | 17.80 | |
| | DM30HIW19230S1 DM30HOS19230S1 | 65F (18.3C) | 54F | TC | 26.6 | 26.8 | 26.6 | 27.0 | 27.3 | 27.2 | 26.2 | 26.3 | 25.6 | 25.0 | 22.2 | 20.7 | 20.2 | 19.6 | 13.34 | 12.42 | 12.42 |
| | | | | SC | 23.7 | 24.6 | 24.4 | 24.3 | 24.3 | 24.6 | 24.5 | 24.5 | 23.5 | 23.0 | 19.4 | 18.5 | 18.4 | 17.4 | 12.01 | 11.55 | 11.55 |
| 70F (21.1C) | | 59F | TC | 27.5 | 27.7 | 27.4 | 27.8 | 28.2 | 28.1 | 27.1 | 27.1 | 26.4 | 25.8 | 22.9 | 21.3 | 20.8 | 20.2 | 14.21 | 13.00 | 13.00 | |
| | | | SC | 24.4 | 25.4 | 25.1 | 25.1 | 25.0 | 25.4 | 25.3 | 25.3 | 24.3 | 23.7 | 20.0 | 19.1 | 19.0 | 18.0 | 12.79 | 12.09 | 12.09 | |
| 75F (23.9C) | | 63F | TC | 28.2 | 28.4 | 28.1 | 28.5 | 28.9 | 28.8 | 27.7 | 27.8 | 27.1 | 26.4 | 23.4 | 21.9 | 21.3 | 20.7 | 14.84 | 13.73 | 13.73 | |
| | | | SC | 25.0 | 26.0 | 25.8 | 25.7 | 25.6 | 26.0 | 25.9 | 25.9 | 24.9 | 24.3 | 20.5 | 19.6 | 19.4 | 18.4 | 13.36 | 12.76 | 12.76 | |
| 80F (26.7C) | | 67F | TC | 28.9 | 29.3 | 29.4 | 29.9 | 30.3 | 30.3 | 29.4 | 29.5 | 30.0 | 31.1 | 27.9 | 26.3 | 25.8 | 25.3 | 15.79 | 14.52 | 14.52 | |
| | | | SC | 25.7 | 26.8 | 26.9 | 27.0 | 26.9 | 27.5 | 27.5 | 27.5 | 27.6 | 28.6 | 24.4 | 23.6 | 22.6 | 21.7 | 14.21 | 13.51 | 13.51 | |
| DM36HIW19230S1 DM36HOS19230S1 | | 65F (18.3C) | 54F | TC | 30.6 | 30.7 | 30.7 | 30.8 | 31.4 | 31.0 | 30.2 | 30.0 | 29.5 | 28.4 | 25.3 | 23.8 | 22.8 | 22.5 | 16.75 | 15.32 | 15.32 |
| | | | | SC | 27.4 | 27.5 | 27.6 | 28.0 | 27.7 | 28.3 | 27.7 | 27.9 | 27.1 | 26.1 | 23.3 | 21.5 | 21.0 | 19.6 | 15.44 | 14.68 | 14.68 |
| | 70F (21.1C) | 59F | TC | 31.0 | 31.4 | 31.1 | 31.6 | 32.4 | 31.7 | 31.6 | 31.2 | 30.1 | 29.1 | 26.3 | 24.5 | 23.9 | 23.2 | 17.96 | 16.62 | 16.62 | |
| | | | SC | 27.7 | 28.6 | 28.4 | 28.6 | 28.3 | 28.7 | 29.1 | 28.6 | 27.9 | 27.3 | 23.8 | 22.6 | 21.8 | 20.6 | 16.56 | 15.93 | 15.93 | |
| | 75F (23.9C) | 63F | TC | 31.8 | 32.3 | 32.3 | 32.8 | 33.2 | 33.1 | 32.1 | 32.0 | 30.9 | 29.9 | 26.9 | 25.7 | 24.5 | 23.8 | 18.77 | 17.36 | 17.36 | |
| | | | SC | 29.0 | 29.9 | 30.0 | 30.3 | 30.0 | 30.1 | 29.8 | 29.8 | 28.4 | 27.5 | 24.6 | 23.3 | 22.2 | 21.6 | 17.08 | 16.64 | 16.64 | |
| | 80F (26.7C) | 67F | TC | 33.3 | 33.4 | 33.8 | 34.4 | 34.5 | 34.9 | 34.2 | 34.3 | 34.6 | 36.5 | 33.3 | 30.0 | 28.7 | 28.3 | 20.18 | 18.56 | 18.56 | |
| | | | SC | 29.7 | 30.2 | 30.3 | 30.7 | 30.9 | 30.7 | 31.6 | 31.4 | 31.7 | 32.6 | 28.1 | 25.4 | 23.7 | 23.3 | 18.29 | 17.80 | 17.80 | |

DB: Dry Bulb - WB: Wet Bulb - TC: Total Net Capacity (1000 BTU/hour) - SC: Sensible Capacity (1000 BTU/hour) - Input: Total Power (kW)

| HEATING | | | | | | | | | | | | | | | |
|--|----------------|-------|---------------|----------------|--------------|----------------|----------------|----------------|-------------|---------------|---------------|---------------|---------------|----------------|----------------|
| Model | Indoor | | | | | | | | | | | | | | |
| | DB | | -4F (-20C) | 0F (-17.8C) | 5F (-15C) | 17F (-8.3C) | 19.4F (-7C) | 24.8F (-4C) | 32F (0C) | 35F (1.7C) | 39.2F (4C) | 44.6F (7C) | 47F (8.3C) | 53.6F (12C) | 57F (13.9C) |
| DM09HOS19115S1 DM09HIW19115S1 | 60F (15.6C) | TC | 5.45 | 6.20 | 6.90 | 8.23 | 8.57 | 8.97 | 9.33 | 9.68 | 10.50 | 11.71 | 12.79 | 13.77 | 14.21 |
| | | Input | 0.83 | 0.91 | 0.94 | 0.98 | 1.00 | 1.01 | 1.03 | 1.04 | 1.10 | 1.20 | 1.27 | 1.26 | 1.25 |
| | 65F (18.3C) | TC | 5.30 | 6.01 | 6.70 | 7.95 | 8.23 | 8.62 | 9.01 | 9.35 | 10.21 | 11.39 | 12.33 | 13.28 | 13.76 |
| | | Input | 0.85 | 0.92 | 0.95 | 1.00 | 1.01 | 1.03 | 1.04 | 1.05 | 1.12 | 1.22 | 1.29 | 1.28 | 1.27 |
| | 70F (21.1C) | TC | 5.01 | 5.69 | 6.32 | 7.53 | 7.83 | 8.19 | 8.54 | 8.84 | 9.64 | 10.74 | 11.68 | 12.56 | 13.00 |
| | | Input | 0.86 | 0.94 | 0.97 | 1.02 | 1.03 | 1.04 | 1.06 | 1.07 | 1.14 | 1.23 | 1.31 | 1.30 | 1.28 |
| 75F (23.9C) | TC | 4.83 | 5.46 | 6.07 | 7.26 | 7.55 | 7.86 | 8.20 | 8.53 | 9.16 | 10.21 | 11.03 | 12.00 | 12.48 | |
| | Input | 0.87 | 0.95 | 0.98 | 1.03 | 1.04 | 1.06 | 1.07 | 1.08 | 1.15 | 1.25 | 1.33 | 1.32 | 1.30 | |
| DM12HOS19115S1 DM12HIW19115S1 | 60F (15.6C) | TC | 5.56 | 6.41 | 7.13 | 8.50 | 8.96 | 9.70 | 10.42 | 11.21 | 11.75 | 12.65 | 13.37 | 13.94 | 14.37 |
| | | Input | 0.83 | 0.85 | 0.87 | 0.91 | 0.89 | 0.90 | 0.90 | 0.91 | 0.94 | 0.99 | 1.02 | 1.02 | 1.01 |
| | 65F (18.3C) | TC | 5.38 | 6.21 | 6.89 | 8.21 | 8.70 | 9.42 | 10.05 | 10.81 | 11.36 | 12.22 | 12.90 | 13.51 | 13.92 |
| | | Input | 0.84 | 0.86 | 0.89 | 0.93 | 0.91 | 0.91 | 0.91 | 0.93 | 0.95 | 1.00 | 1.03 | 1.03 | 1.02 |
| | 70F (21.1C) | TC | 5.05 | 5.82 | 6.47 | 7.70 | 8.15 | 8.81 | 9.46 | 10.16 | 10.66 | 11.46 | 12.11 | 12.67 | 13.05 |
| | | Input | 0.85 | 0.87 | 0.90 | 0.94 | 0.92 | 0.92 | 0.93 | 0.94 | 0.97 | 1.02 | 1.05 | 1.05 | 1.04 |
| 75F (23.9C) | TC | 4.87 | 5.59 | 6.21 | 7.39 | 7.86 | 8.37 | 8.94 | 9.71 | 10.18 | 11.01 | 11.69 | 12.23 | 12.53 | |
| | Input | 0.87 | 0.88 | 0.91 | 0.96 | 0.93 | 0.94 | 0.94 | 0.96 | 0.98 | 1.03 | 1.06 | 1.06 | 1.05 | |
| DM18HOS19230S1 DM18HIW19230S1 | 60F (15.6C) | TC | 8.30 | 9.23 | 10.25 | 11.92 | 12.40 | 13.12 | 13.84 | 14.77 | 16.28 | 18.33 | 19.81 | 21.20 | 21.79 |
| | | Input | 1.25 | 1.33 | 1.37 | 1.42 | 1.44 | 1.46 | 1.49 | 1.54 | 1.64 | 1.78 | 1.86 | 1.90 | 1.88 |
| | 65F (18.3C) | TC | 7.97 | 8.82 | 9.81 | 11.42 | 11.90 | 12.60 | 13.29 | 14.23 | 15.58 | 17.54 | 18.88 | 20.20 | 20.85 |
| | | Input | 1.27 | 1.35 | 1.40 | 1.44 | 1.46 | 1.49 | 1.51 | 1.57 | 1.66 | 1.81 | 1.89 | 1.93 | 1.91 |
| | 70F (21.1C) | TC | 7.69 | 8.55 | 9.50 | 11.04 | 11.49 | 12.15 | 12.80 | 13.70 | 15.05 | 16.93 | 18.28 | 19.54 | 20.12 |
| | | Input | 1.29 | 1.37 | 1.42 | 1.47 | 1.48 | 1.51 | 1.53 | 1.59 | 1.69 | 1.84 | 1.92 | 1.96 | 1.94 |
| 75F (23.9C) | TC | 7.38 | 8.25 | 9.21 | 10.54 | 10.97 | 11.67 | 12.29 | 13.22 | 14.45 | 16.08 | 17.27 | 18.56 | 19.32 | |
| | Input | 1.30 | 1.39 | 1.44 | 1.49 | 1.51 | 1.53 | 1.55 | 1.62 | 1.72 | 1.87 | 1.95 | 1.99 | 1.97 | |

DB: Dry Bulb - WB: Wet Bulb - TC: Total Net Capacity (1000 BTU/hour) - SC: Sensible Capacity (1000 BTU/hour) - Input: Total Power (kW)

| HEATING | | | | | | | | | | | | | | | |
|--|----------------|-------|---------------|----------------|--------------|----------------|----------------|----------------|-------------|---------------|---------------|---------------|---------------|----------------|----------------|
| Model | Indoor | | | | | | | | | | | | | | |
| | DB | | -4F (-20C) | 0F (-17.8C) | 5F (-15C) | 17F (-8.3C) | 19.4F (-7C) | 24.8F (-4C) | 32F (0C) | 35F (1.7C) | 39.2F (4C) | 44.6F (7C) | 47F (8.3C) | 53.6F (12C) | 57F (13.9C) |
| DM24HOS19230S1 DM24HIW19230S1 | 60F (15.6C) | TC | 14.70 | 16.35 | 17.95 | 21.14 | 21.54 | 22.07 | 22.55 | 23.23 | 25.25 | 28.28 | 29.63 | 30.72 | 31.83 |
| | | Input | 2.24 | 2.39 | 2.45 | 2.53 | 2.50 | 2.49 | 2.49 | 2.48 | 2.53 | 2.67 | 2.64 | 2.58 | 2.57 |
| | 65F (18.3C) | TC | 14.13 | 15.71 | 17.20 | 20.26 | 20.60 | 21.09 | 21.59 | 22.24 | 24.15 | 27.15 | 28.33 | 29.39 | 30.44 |
| | | Input | 2.28 | 2.43 | 2.48 | 2.57 | 2.54 | 2.53 | 2.52 | 2.52 | 2.57 | 2.71 | 2.68 | 2.62 | 2.61 |
| | 70F (21.1C) | TC | 13.65 | 15.17 | 16.67 | 19.61 | 19.96 | 20.44 | 20.90 | 21.51 | 23.36 | 26.24 | 27.46 | 28.45 | 29.44 |
| | | Input | 2.31 | 2.47 | 2.52 | 2.61 | 2.58 | 2.57 | 2.56 | 2.56 | 2.61 | 2.76 | 2.73 | 2.66 | 2.65 |
| 75F (23.9C) | TC | 13.04 | 14.48 | 16.00 | 18.53 | 18.96 | 19.52 | 20.06 | 20.75 | 22.42 | 25.32 | 26.36 | 27.02 | 27.82 | |
| | Input | 2.35 | 2.50 | 2.56 | 2.65 | 2.62 | 2.61 | 2.60 | 2.60 | 2.65 | 2.80 | 2.77 | 2.70 | 2.69 | |
| DM30HIW19230S1 DM30HOS19230S1 | 55F (12.8C) | TC | 20.9 | 21.8 | 22.6 | 24.1 | 26.2 | 28.3 | 29.4 | 31.5 | 32.6 | 33.8 | 33.9 | 34.1 | 14.37 |
| | | Input | 2.94 | 2.93 | 2.91 | 3.25 | 3.24 | 3.23 | 3.21 | 3.23 | 3.25 | 3.23 | 3.25 | 3.27 | 1.01 |
| | 60F (15.6C) | TC | 20.1 | 20.9 | 21.8 | 23.3 | 25.3 | 26.4 | 28.5 | 30.6 | 31.8 | 32.9 | 33.1 | 33.2 | 14.37 |
| | | Input | 2.99 | 2.98 | 2.96 | 3.30 | 3.29 | 3.27 | 3.26 | 3.28 | 3.30 | 3.28 | 3.30 | 3.32 | 1.01 |
| | 65F (18.3C) | TC | 19.3 | 20.1 | 20.9 | 22.4 | 23.5 | 25.6 | 27.7 | 28.8 | 30.9 | 32.1 | 32.3 | 32.4 | 13.92 |
| | | Input | 3.04 | 3.03 | 3.01 | 3.35 | 3.34 | 3.32 | 3.31 | 3.33 | 3.35 | 3.33 | 3.35 | 3.37 | 1.02 |
| 70F (21.1C) | TC | 18.4 | 19.3 | 20.1 | 20.6 | 22.7 | 24.8 | 26.9 | 29.0 | 30.1 | 31.3 | 31.4 | 31.6 | 13.05 | |
| | Input | 3.09 | 3.07 | 3.06 | 3.40 | 3.38 | 3.37 | 3.36 | 3.38 | 3.39 | 3.38 | 3.40 | 3.42 | 1.04 | |
| 75F (23.9C) | TC | 17.6 | 18.4 | 19.3 | 19.8 | 21.9 | 23.9 | 26.0 | 28.1 | 29.3 | 30.4 | 30.6 | 30.7 | 12.53 | |
| | Input | 3.14 | 3.12 | 3.11 | 3.45 | 3.43 | 3.42 | 3.41 | 3.43 | 3.44 | 3.43 | 3.45 | 3.47 | 1.05 | |
| DM36HIW19230S1 DM36HOS19230S1 | 55F (12.8C) | TC | 24.6 | 25.6 | 26.6 | 28.3 | 30.7 | 33.2 | 34.5 | 37.0 | 38.3 | 39.6 | 39.8 | 40.0 | 14.37 |
| | | Input | 3.45 | 3.44 | 3.43 | 3.82 | 3.81 | 3.79 | 3.77 | 3.79 | 3.81 | 3.79 | 3.82 | 3.84 | 1.01 |
| | 60F (15.6C) | TC | 23.6 | 24.6 | 25.6 | 27.4 | 29.8 | 31.1 | 33.5 | 35.9 | 37.3 | 38.7 | 38.9 | 39.0 | 21.79 |
| | | Input | 3.51 | 3.49 | 3.48 | 3.87 | 3.86 | 3.84 | 3.84 | 3.85 | 3.87 | 3.85 | 3.88 | 3.90 | 1.88 |
| | 65F (18.3C) | TC | 22.6 | 23.6 | 24.6 | 26.4 | 27.6 | 30.0 | 32.5 | 33.8 | 36.3 | 37.8 | 37.9 | 38.1 | 20.85 |
| | | Input | 3.57 | 3.55 | 3.53 | 3.93 | 3.92 | 3.91 | 3.89 | 3.90 | 3.93 | 3.92 | 3.94 | 3.95 | 1.91 |
| 70F (21.1C) | TC | 21.7 | 22.6 | 23.6 | 24.2 | 26.6 | 29.1 | 31.5 | 34.0 | 35.3 | 36.8 | 36.9 | 37.0 | 20.12 | |
| | Input | 3.62 | 3.62 | 3.60 | 3.99 | 3.97 | 3.96 | 3.95 | 3.96 | 3.98 | 3.97 | 3.99 | 4.02 | 1.94 | |
| 75F (23.9C) | TC | 20.7 | 21.6 | 22.6 | 23.3 | 25.7 | 28.1 | 30.6 | 33.1 | 34.4 | 35.7 | 35.9 | 36.1 | 19.32 | |
| | Input | 3.68 | 3.67 | 3.65 | 4.04 | 4.03 | 4.01 | 4.00 | 4.03 | 4.04 | 4.03 | 4.05 | 4.07 | 1.97 | |

DB: Dry Bulb - WB: Wet Bulb - TC: Total Net Capacity (1000 BTU/hour) - SC: Sensible Capacity (1000 BTU/hour) - Input: Total Power (kW)

